

Message

From: Payne, James [payne.james@epa.gov]
Sent: 8/17/2018 6:38:32 PM
To: Nam, Ed [nam.ed@epa.gov]
CC: Thiede, Kurt [thiede.kurt@epa.gov]; Stepp, Cathy [stepp.cathy@epa.gov]
Subject: Re: AK Steel

Ed - thanks for this initial response to AK Steel. Jim

Sent from my iPhone

> On Aug 17, 2018, at 12:15 PM, Nam, Ed <nam.ed@epa.gov> wrote:

>
> Hi Dave,
>
> I am informed that you would like to get the summa canister results that we collected last May near AK Steel. Those lab reports are attached. A final report with all data, including data collected using the mobile monitoring platform, is still forthcoming.
> Feel free to call me if you have further questions.

>
> Thanks,
> -Ed

>
> -Edward Nam, PhD
> Director, Air and Radiation Division
> US EPA, Region 5, Mail code A-18J
> 77 W. Jackson Blvd.
> Chicago, IL 60604-3590
> Phone 312-353-2192 nam.ed@epa.gov

> -----Original Message-----

> From: Payne, James
> Sent: Thursday, August 16, 2018 7:08 PM
> To: Dave.Miracle@aksteel.com; Nam, Ed <nam.ed@epa.gov>
> Cc: Thiede, Kurt <thiede.kurt@epa.gov>
> Subject: Re: AK Steel

>
> Thanks Dave. Good to meet you and thank you for the visit. Adding Ed Nam, 312-353-2192, Region 5 air director, as he is following up on data request. Jim 214-490-6707 cell

>
> Sent from my iPhone

>> On Aug 16, 2018, at 12:25 PM, "Dave.Miracle@aksteel.com" <Dave.Miracle@aksteel.com> wrote:

>>
>> Jim & Kurt,
>>
>> Thank you so much for your time today. My contact information is below.

>>
>> Thanks again,

>>
>> Dave
>>
>> David Miracle
>> AK Steel Corporation
>> General Manager - Environmental Affairs and Sustainability
>> Office: (513) 425-5329
>> Cell: (513) 594-4901

>> Confidentiality Notice

>> This message is intended exclusively for the individual or entity to which it is addressed and may contain privileged, proprietary, or otherwise private information.

>> If you are not the named addressee, you are not authorized to read, print, retain, copy or disseminate this message or any part of it. If you have received this message in error, please notify the sender immediately by e-mail and delete all copies of the message.

> <1806001 Final Report.pdf>
> <1805010 Final Report.pdf>